



5484 S. Old Carriage Road, Rocky Mount, NC 27803
252.937.4107 • AQUAAIDSOLUTIONS.COM

PFC 3B - Inorganic Soil Improver

Nutrient content: 1,7% (m/m) Total Potassium oxide (K₂O)

Dry matter content: 34,13% by mass

Ingredients:

Inert Ingredients, Salts of Fatty Acids, Modified Polysaccharides (CMC 1 virgin material substances and mixtures),

DIRECTIONS FOR USE

Fine Turf Applications

28 - 30 Day Application Interval

Apply 13 to 19 L/ha in 800 L of water (4 to 6 ounces per 1.000 ft² in 2 gallons) at 28 to 30 day intervals or as needed.

14 Day Application Interval

Apply 6 to 9 L/ha in 800 L of water (2 to 3 ounces per 1.000 ft² in 2 gallons) at 14 day intervals or as needed.

Irrigate after each application to remove the surfactant from the plant surfaces.

Irrigate with sufficient water to deliver Xyleon to the soil profile - 1/8 inch (3 mm) or more recommended.

DO NOT combine Xyleon in the spray tank with pesticides or fertilizers unless prior use has shown the combination physically compatible, effective and non-injurious under local conditions.

STORAGE AND DISPOSAL

Store closed in a dry place above 5 °C protected from sunlight. Keep container tightly closed. Store in original container only. Triple rinse container and empty rinse water into spray or stock tank. Dispose of empty containers in accordance with applicable laws.

HAZARD STATEMENT(S)

The product is not classified as hazardous. No known significant effects or critical hazards.

PRECAUTIONARY STATEMENT(S)

Keep out of reach of children. Read label before use. In case of eye contact, flush eyes with water. If swallowed, give water or milk. If eye or skin irritation occurs or you feel unwell, get medical advice/attention.

Imported By:

Aqua Aid Europe B.V.

Oude Leijstraat 3
4817 ZR Breda
The Netherlands
www.aquaaid.eu



0 08531 27008 4

NET CONTENTS

10 liter (2,64 US gal)

NET WEIGHT

10,70 kg (23,60 lbs)

1,070 kg/l at 20° C

(8,929 lbs/US gal at 68° F)